



# Skyline

CI/SfB | | Xt7 | |

**ASSA ABLOY**

The global leader in  
door opening solutions



# Skyline

Scandinavian influences have long been powerfully embraced and honed by architectural and interior design practices across the globe.

ASSA ABLOY, a Scandinavian company, is firmly committed to these principles, combining aesthetics with function, ergonomics, safety, longevity and environmental responsibility through our innovative Skyline range.

**Our guiding principles permeate everything we do**

All dimensions in this brochure are in mm, for further details please refer to individual product data sheets.




LEVERS

5 - 18



LOCKS

63 - 67



PULLS

19 - 44



ELECTRIC LOCKS

68 - 74



ACCESSORIES

45 - 53



CYLINDERS

75 - 76



HINGES

54 - 56




EXIT DEVICES

77 - 79



DOOR CONTROLS

57 - 62



INDEX

80 - 82

# LEVERS





**ASLH001 / 101**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **001**

Polished stainless steel finish **101**



**ASLH002 / 102**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **002**

Polished stainless steel finish **102**





**ASLH003 / 103**



**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **003**

Polished stainless steel finish **103**



**ASLH004 / 104**



**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **004**

Polished stainless steel finish **104**





**ASLH005 / 105**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **005**

Polished stainless steel finish **105**



**ASLH006 / 106**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **006**

Polished stainless steel finish **106**





**ASLH007 / 107**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **007**

Polished stainless steel finish **107**



**ASLH008 / 108**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **008**

Polished stainless steel finish **108**





**ASLH009 / 109**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **009**

Polished stainless steel finish **109**



**ASLH010 / 110**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **010**

Polished stainless steel finish **110**







**ASLH011 / 111**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **011**

Polished stainless steel finish **111**



**ASLH012 / 112**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **012**

Polished stainless steel finish **112**





**ASLH013 / 113**


**ASSA ABLOY Lever Handle**

Grade 316 stainless steel

Independently tested to BS EN 1906

Satin stainless steel finish **013**

Polished stainless steel finish **113**




PULL HANDLES






**ASPH001 / 101**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

**ASPH001BB / ASPH101BB**    **ASPH001BT / ASPH101BT**




Satin stainless steel finish **001**  
Polished stainless steel finish **101**



**ASPH002 / 102**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

**ASPH002BB / ASPH102BB**    **ASPH002BT / ASPH102BT**




Satin stainless steel finish **002**  
Polished stainless steel finish **102**




**ASPH003 / 103**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH003BB / ASPH103BB**    **ASPH003BT / ASPH103BT**




Satin stainless steel finish **003**  
 Polished stainless steel finish **103**




**ASPH004 / 104**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH004BB / ASPH104BB**    **ASPH004BT / ASPH104BT**



Satin stainless steel finish **004**  
 Polished stainless steel finish **104**




**ASPH005 / 105**

ASSA ABLOY Pull Handle

Grade 316 stainless steel

ASPH005BB / ASPH105BB

ASPH005BT / ASPH105BT



Satin stainless steel finish 005

Polished stainless steel finish 105




**ASPH006 / 106**

ASSA ABLOY Pull Handle

Grade 316 stainless steel


ASPH006BB / ASPH106BB

ASPH006BT / ASPH106BT




Satin stainless steel finish 006

Polished stainless steel finish 106



**ASPH007 / 107**  
 ASSA ABLOY Pull Handle  
 Grade 316 stainless steel

**ASPH007BB / ASPH107BB**    **ASPH007BT / ASPH107BT**




Satin stainless steel finish **007**  
 Polished stainless steel finish **107**




**ASPH008 / 108**  
 ASSA ABLOY Pull Handle  
 Grade 316 stainless steel

**ASPH008BB / ASPH108BB**    **ASPH008BT / ASPH108BT**




Satin stainless steel finish **008**  
 Polished stainless steel finish **108**




**ASPH009 / 109**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH009BB / ASPH109BB**    **ASPH009BT / ASPH109BT**




Satin stainless steel finish **009**  
 Polished stainless steel finish **109**



**ASPH010 / 110**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH010BB / ASPH110BB**    **ASPH010BT / ASPH110BT**




Satin stainless steel finish **010**  
 Polished stainless steel finish **110**




**ASPH011 / 111**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH011BB / ASPH111BB**    **ASPH011BT / ASPH111BT**




Satin stainless steel finish **011**  
 Polished stainless steel finish **111**



**ASPH012 / 112**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH012BB / ASPH112BB**    **ASPH012BT / ASPH112BT**




Satin stainless steel finish **012**  
 Polished stainless steel finish **112**






**ASPH013 / 113**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH013BB / ASPH113BB**    **ASPH013BT / ASPH113BT**




Satin stainless steel finish **013**  
 Polished stainless steel finish **113**



**ASPH014 / 114**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH014BB / ASPH114BB**    **ASPH014BT / ASPH114BT**



Satin stainless steel finish **014**  
 Polished stainless steel finish **114**




**ASPH015 / 115**

ASSA ABLOY Pull Handle

Grade 316 stainless steel


ASPH015BB / ASPH115BB

ASPH015BT / ASPH115BT



Satin stainless steel finish **015**

Polished stainless steel finish **115**




**ASPH016 / 116**

ASSA ABLOY Pull Handle

Grade 316 stainless steel

ASPH016BB / ASPH116BB

ASPH016BT / ASPH116BT




Satin stainless steel finish **016**

Polished stainless steel finish **116**




**ASPH017 / 117**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

**ASPH017BB / ASPH117BB**    **ASPH017BT / ASPH117BT**




Satin stainless steel finish **017**  
Polished stainless steel finish **117**



**ASPH018 / 118**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

**ASPH018BB / ASPH118BB**    **ASPH018BT / ASPH118BT**




Satin stainless steel finish **018**  
Polished stainless steel finish **118**




**ASPH019 / 119**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH019BB / ASPH119BB**    **ASPH019BT / ASPH119BT**




Satin stainless steel finish **019**  
 Polished stainless steel finish **119**



**ASPH020 / 120**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH020BB / ASPH120BB**    **ASPH020BT / ASPH120BT**




Satin stainless steel finish **020**  
 Polished stainless steel finish **120**



**ASPH021 / 121**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

ASPH021BB / ASPH121BB    ASPH021BT / ASPH121BT




Satin stainless steel finish **021**  
Polished stainless steel finish **121**



**ASPH022 / 122**  
ASSA ABLOY Pull Handle  
Grade 316 stainless steel

ASPH022BB / ASPH122BB    ASPH022BT / ASPH122BT




Satin stainless steel finish **022**  
Polished stainless steel finish **122**




**ASPH023 / 123**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH023BB / ASPH123BB**    **ASPH023BT / ASPH123BT**




Satin stainless steel finish **023**  
 Polished stainless steel finish **123**



**ASPH024 / 124**  
**ASSA ABLOY Pull Handle**  
 Grade 316 stainless steel

**ASPH024BB / ASPH124BB**    **ASPH024BT / ASPH124BT**




Satin stainless steel finish **024**  
 Polished stainless steel finish **124**

ACCESSORIES







**ASEPCE001 / 101**  
ASSA ABLOY Escutcheon  
Grade 316 stainless steel




**ASBR001 / 101**  
ASSA ABLOY Escutcheon  
Grade 316 stainless steel




**ASEPCE002 / 102**  
ASSA ABLOY Escutcheon  
Grade 316 stainless steel



**ASFP001 / 101**  
ASSA ABLOY Flush Pull  
Grade 316 stainless steel



**ASEPCP001 / 101**  
ASSA ABLOY Cylinder Pull  
Grade 316 stainless steel








**ASWCITR001 / ASWCITR101**

**ASSA ABLOY WC Set**


Grade 316 stainless steel



**ASPCH001 / 101**

**ASSA ABLOY Peg Coat Hook**


Grade 316 stainless steel



**ASWCITR002 / ASWCITR102**

**ASSA ABLOY WC Set**


Grade 316 stainless steel



**ASPCH002 / 102**


**ASSA ABLOY Peg Coat Hook**

Grade 316 stainless steel



**ASSA ABLOY WC Indicator Release**


Grade 316 stainless steel




Supplied as standard with both turns detailed above



**ASFDS001 / 101**  
ASSA ABLOY Floor Door Stop  
Grade 316 stainless steel





**ASWDS001 / 101**  
ASSA ABLOY Wall Door Stop  
Grade 316 stainless steel




**ASPP001 / 101**  
ASSA ABLOY Push Plate  
Grade 304 stainless steel

- ASPP001 / ASPP101  
450x76x1.2mm
- ASPP002 / ASPP102  
700x76x1.2mm
- ASPP003 / ASPP103  
500x76x1.2mm
- ASPP004 / ASPP104  
1000x76x1.2mm




**ASKP001 / 101**  
ASSA ABLOY Kick Plate  
Grade 304 stainless steel  
Fabricated to order



**ASSA ABLOY Symbols**

Grade 304 stainless steel

Self adhesive fixing



Satin stainless steel finish 001

Polished stainless steel finish 101



**ASMD001 / 101**

ASSA ABLOY  
Male



**ASBCD001 / 101**

ASSA ABLOY  
Baby Change



**ASAFDD001 / 101**

ASSA ABLOY  
Automatic Fire Door  
Keep Clear



**ASFD001 / 101**

ASSA ABLOY  
Female



**ASDISD001 / 101**

ASSA ABLOY  
Inclusive



**ASFDKLD001 / 101**

ASSA ABLOY  
Fire Door Keep Locked



**ASUNID001 / 101**

ASSA ABLOY  
Unisex



**ASSD001 / 101**

ASSA ABLOY  
Shower



**ASFDKSD001 / 101**

ASSA ABLOY  
Fire Door Keep Shut


# HINGES




## ASH001 / 101

ASSA ABLOY Butt Hinge

Grade 304 stainless steel


BS EN 1935 : 4-7-6-1-1-4-0-13 




## ASH002 / 102

ASSA ABLOY Butt Hinge

Grade 304 stainless steel


BS EN 1935 : 4-7-6-1-1-4-0-13 




## ASH003 / 103

ASSA ABLOY Butt Hinge

Grade 304 stainless steel

BS EN 1935 : 4-7-6-1-1-4-0-13 



Satin stainless steel finish **001 / 002 / 003**

Polished stainless steel finish **101 / 102 / 103**




**ASH007L / ASH107L**  
**ASH007R / ASH107R**

**ASSA ABLOY Rising Butt Hinge**

Grade 304 stainless steel

Load bearing capacity to 60kg




**ASH008L / ASH108L**  
**ASH008R / ASH108R**

**ASSA ABLOY Falling Butt Hinge**

Grade 304 stainless steel


Load bearing capacity to 60kg





**ASDC001 / 101**  
**ASDC002 / 102**

**ASSA ABLOY**  
**Surface Mounted Overhead Door Closer**  
Grade 304 stainless steel cover




ASDC001 / 101 Certified in compliance with EN 1154 : 4-8-2/4-1-1-4 **CE**  
ASDC002 / 102 Certified in compliance with EN 1154 : 4-8-3/6-1-1-4 **CE**



**ASDC003 / 103**  
**ASDC004 / 104**

**ASSA ABLOY**  
**Surface Mounted CAM Action Overhead Door Closer**  
Grade 304 stainless steel




ASDC003 / 103 Certified in compliance with EN 1154 : 3-8-1/4-1-1-4 **CE**  
ASDC004 / 104 Certified in compliance with EN 1154 : 3-8-3/6-1-1-4 **CE**

Satin stainless steel finish **001 / 002 / 003 / 004**  
Polished stainless steel finish **101 / 102 / 103 / 104**




**ASDC005 / 006**

ASSA ABLOY Concealed Door Closer



ASDC005 Certified in compliance with EN 1154 : 3-8-1/4-1-1-2 **CE**


ASDC006 Certified in compliance with EN 1154 : 3-8-1/5-1-1-2 **CE**



**ASFS001 / 002**

ASSA ABLOY Floor Spring

Grade 304 stainless steel




ASFS001 Certified in compliance with EN 1154 : 3-8-3/6-1-1-4 **CE**

ASFS002 Certified in compliance with EN 1154 : 3-8-2/4-1-1-4 **CE**

**ASFSA001**


ASSA ABLOY Floor Spring Cover Plate

Grade 304 stainless steel




**ASFSA002**

ASSA ABLOY  
Double Action Bottom Strap




**ASFSA003**

ASSA ABLOY  
Double Action Top Centre




**ASFSA004**

ASSA ABLOY  
Single Action 36mm Offset Strap




**ASFSA005**

ASSA ABLOY  
Single Action 36mm Offset Top Centre









**ASL001 / ASL101**

**ASSA ABLOY Mortice Latch**

Grade 304 stainless steel forend and strike

BS EN 12209 : 3-X-8-1-0-G---B-0-2-0 **CE**





**ASL003 / ASL103**

**ASSA ABLOY Mortice Dead Lock**

Grade 304 stainless steel forend and strike

BS EN 12209 : 3-X-8-1-0-G-3-B-A-0-0 **CE**





**ASL002 / ASL102**

**ASSA ABLOY Mortice Sash Lock**

Grade 304 stainless steel forend and strike

BS EN 12209 : 3-X-8-1-0-G-3-B-A-2-0 **CE**





**ASL004 / ASL104**

**ASSA ABLOY Mortice Night Latch**

Grade 304 stainless steel forend and strike

BS EN 12209 : 3-X-8-1-0-G-1-B-B-2-0 **CE**







**ASL005 / 105**

**ASSA ABLOY Mortice Escape Lock**

Grade 304 stainless steel forend and strike

BS EN 179 : 3-7-6-B-1-3-4-2-A-D CE




**ASL006 / 106**

**ASSA ABLOY Mortice Bathroom Lock**

Grade 304 stainless steel forend and strike

BS EN 12209 : 3-X-8-1-0-G---B-G-2-0 CE



**ASFB001 / 101**

**ASSA ABLOY Flushbolt**

Grade 304 stainless steel

ASFB001 / ASFB101

200mm

ASFB002 / ASFB102


450mm

ASFB003 / ASFB103

600mm

ASFB004 / ASFB104


900mm




**ASFBS001**

**ASSA ABLOY**

**Flushbolt Floor Socket**



## ELECTRIC LOCKS



### ASMELO01

#### ASSA ABLOY Solenoid Lock


Stainless steel forend

Lever handles on both sides of the door: outside handle is electrically controlled, inside handle always free to escape

Operating voltage: 12 – 24 v DC STAB (-10%, +15%)

Current: Max. 0.55 A (12v DC), 0.30 A (24v DC)

Independently tested to BS EN 1634-1, BS EN 179, BS EN 1125, BS EN 61000-6-3, BS EN 61000-6-1, BS EN 14846, **CE**





### ASMELO02

#### ASSA ABLOY Motorised Lock


Stainless steel forend

Lever handle on inside only, outside with pull or push plate, inside handle always free to escape

Operating voltage: 12 – 24 v DC ( $\pm 15\%$ ) 12 - 18 v AC, RMS (-10%, +15%)

Current: Max. 0.8 A (12 v), 0.4 A (24 v)

Independently tested to BS EN 1634-1, BS EN 179, BS EN 1125, BS EN 14846, CE



### ASMELO03

#### ASSA ABLOY Electric Lock

Stainless steel forend

Fail safe motorised bolt suitable for concealed vertical or horizontal mounting


5000N holding force

Operates with up to 5000N of side pressure

Factory tested: 1,000,000 cycles

Operating voltage: 12v DC ( $\pm 10\%$ ), 24v DC ( $\pm 10\%$ ), 48v ( $\pm 10\%$ ) DC

Current: Max. 0.88 A (12v DC), 0.27 A (24v DC)





**ASMELO04 / 005**

**ASSA ABLOY Solenoid Lock**

Stainless steel forend

The world's first fail safe motor locking mechanism

Bolt travels into V shaped strike plate ensuring alignment in either vertical or horizontal plane

Successfully used in PAS 24 security door set tests

1000N holding force


Operates with up to 150N side pressure

Factory tested: 300,000 cycles


CE marked to EMC Directive

Operating voltage: 12 to 24v DC, Voltage Tolerance 12v (+15% - 0%) 24v(+/- 15%)

Current: Min 1 Amp Regulated Supply



ASMELO04 Fail safe solenoid lock  
ASMELO05 Fail secure solenoid lock



**ASMELO06**


**ASSA ABLOY Magnetic Lock**

3000N holding force

Available with hall effect microswitch

Operating voltage: 12 to 24v DC

Z and L brackets available to suit






**ASCDL001**

**ASSA ABLOY Door Loop**

Maximum cable diameter 7.5mm



CYLINDERS






**ASC001**

**ASSA ABLOY Single Cylinder**

Supplied 2 keys as standard UMK

BS EN 1303 : 1-6-0---1-0-C-6-2\*




**ASC002**

**ASSA ABLOY Double Cylinder**

Supplied 2 keys as standard UMK

BS EN 1303 : 1-6-0---1-0-C-6-2\*




**ASC003**

**ASSA ABLOY Cylinder and Turn**

Supplied 2 keys as standard UMK

BS EN 1303 : 1-6-0---1-0-C-6-2\*



\*When used with appropriate security escutcheon

Satin chrome finish **001 / 002 / 003**






**ASMPB001**

**ASSA ABLOY Panic Bolt**

Grade 304 stainless steel

Tested to BS EN 1125 : 3-7-7-B-1-3-2-2-A-A **CE**




**ASMPB001**

**ASSA ABLOY Panic Bolt**

Grade 304 stainless steel

Tested to BS EN 1125 : 3-7-7-B-1-3-2-2-A-A **CE**




**ASEAD001**

**ASSA ABLOY External Access Device**


Grade 304 stainless steel

Tested to BS EN 1125 : 3-7-7-B-1-3-2-2-A-A **CE**





# INDEX



## LEVERS

ASLH001 / 101	6
ASLH002 / 102	7
ASLH003 / 103	8
ASLH004 / 104	9
ASLH005 / 105	10
ASLH006 / 106	11
ASLH007 / 107	12
ASLH008 / 108	13
ASLH009 / 109	14
ASLH010 / 110	15
ASLH011 / 111	16
ASLH012 / 112	17
ASLH013 / 113	18

## PULLS

ASPH001 / 101	20
ASPH002 / 102	21
ASPH003 / 103	22
ASPH004 / 104	23
ASPH005 / 105	24
ASPH006 / 106	25
ASPH007 / 107	26
ASPH008 / 108	27
ASPH009 / 109	28
ASPH010 / 110	29
ASPH011 / 111	30
ASPH012 / 112	31

ASPH013 / 113	32
ASPH014 / 114	33
ASPH015 / 115	34
ASPH016 / 116	35
ASPH017 / 117	36
ASPH018 / 118	37
ASPH019 / 119	38
ASPH020 / 120	39
ASPH021 / 121	40
ASPH022 / 122	41
ASPH023 / 123	42
ASPH024 / 124	43

## ACCESSORIES

ASEPCE001 / 101	46
ASEPCE002 / 102	46
ASPCE003 / 103	46
ASBR001 / 101	47
ASFP001 / 101	47
ASWCITR001 / 101	48
ASWCITR002 / 102	48
ASWCIR001 / 101	48
ASPCH001 / 101	49
ASPCH002 / 102	49
ASFDS001 / 101	50
ASWDS001 / 101	50
ASPP001 / 101	51

ASPP002 / 102	51
ASPP003 / 103	51
ASPP004 / 104	51
ASKP001 / 101	51
ASMD001 / 101	52
ASFD001 / 101	52
ASUNID001 / 101	52
ASBCD001 / 101	53
ASDISD001 / 101	53
ASSD001 / 101	53
ASAFDD001 / 101	53
ASFDKLD001 / 101	53
ASFDKSD001 / 101	53

## HINGES

ASH001	55
ASH002	55
ASH003	55
ASH007L / 007R	56
ASH008L / 008R	56

## DOOR CONTROLS

ASDC001 / 002	58
ASDC003 / 004	59
ASDC005 / 006	60
ASFS001 / 002	61
ASFSA001	61
ASFSA002	62
ASFSA003	62
ASFSA004	62
ASFSA005	62

## LOCKS

ASL001 / 101	64
ASL002 / 102	64
ASL003 / 103	65
ASL004 / 104	65
ASL005 / 105	66
ASL006 / 106	66
ASFB001 / 101	67
ASFB002 / 102	67
ASFBP003 / 103	67
ASFB004 / 104	67
ASFBS001	67

## ELECTRIC LOCKS

ASMEL001	69
ASMEL002	70
ASMEL003	71
ASMEL004 / 005	72
ASMEL006	73
ASCDL001	74

## CYLINDERS

ASC001	76
ASC002	76
ASC003	76

## EXIT DEVICES

ASMPL001	78
ASSMPB001	79
ASEAD001	79

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

**ASSA ABLOY**

ASSA ABLOY UK Specification  
School Street  
Willenhall  
WV13 3PW  
Tel: +44 (0)845 071 0882  
[www.assaabloy.co.uk/specification](http://www.assaabloy.co.uk/specification)