


ASSA[®]
ASSA ABLOY

ASSA Lockcases

ASSA ABLOY, the global leader
in door opening solutions



The global leader in door opening solutions

ASSA is part of the ASSA ABLOY Group, the global leader in door opening solutions operating in more than 40 countries worldwide with a turnover of £2.3 billion.

Our aim is to offer a complete package of architectural ironmongery products and door opening solutions for clients in commercial, institutional and high security organisations.

Drawing on the wider resources of the ASSA ABLOY Group, we offer a total solution to all your security needs.



ASSA works closely with our extensive national network of ASSA Security Centres to bring you the complete package of products, including supply, installation and after-sales service.

ASSA Security Centres are chosen for their wide-ranging expertise, supported and maintained by our own intensive and continuous training programmes. Security Centres carry an extensive range of stock as well as the facility to develop and support ASSA master key systems in-house, offering the end user fast and convenient local service.

This catalogue identifies the various lockcase ranges available from ASSA.

Lockcases

ASSA lockcases are designed to a modular concept. All products in each series require a standard door preparation, take the same interchangeable accessories and are made to the same high standards of performance and durability. With a wide range of functions and security grades available, you can select the exact lock required for each application.

ASSA Connect

High security, heavy duty locks with patented 23.5mm hardened steel hookbolts to ensure maximum security. Choice of 35mm, 50mm and 70mm backsets. Accept Scandinavian Oval or Round cylinders.

ASSA Modular

Robust locks for high usage areas, engineered for smooth performance over many years. Feature 21mm hardened steel deadbolts for security. Choice of 50mm and 70mm backsets. Accept Scandinavian Oval or Round cylinders.

ASSA D450 Euro

Good quality DIN style lockcases, providing excellent value for money on architectural projects. Feature 20mm steel deadbolts and 60mm backsets. Accept Euro Profile cylinders.

Special purpose locks

We also offer a full selection of other lockcases, including UK-style small case locks, narrow profile locks, rim locks, and cupboard locks.



Connect / Modular

The modular concept

Our Connect and Modular ranges of locks are designed to a modular format. All the lockcases in each series are of a standard size, take the same accessories, and are made to the same high standards of performance and durability. With a wide range of functions and different grades of security available, you can select the exact lock required for each application. Standard door preparation makes fitting simpler and less costly, and allows the function of the door to be easily changed at a later date.



Common features

Choice of backset: 50mm or 70mm, plus 35mm with Evolution.

Accept Scandinavian Oval or Scandinavian Round cylinders.

Standard finishes: bright zinc for Evolution, satin chrome or polished brass for Modular.

Ergonomic design with cylinder above handle, making the locks easy to use by disabled people as laid down by BS 8300.


Connect / Modular



Sash locks



Roller bolt locks



Sash lock

310 – CONNECT
765 – MODULAR


Suitable for entrance doors.

Exterior :

90° key turn operates deadbolt and latchbolt. Lever handle retracts latchbolt.

Interior :

Thumbturn, 90° turn operates deadbolt and latchbolt. Lever handle retracts latchbolt.



Roller bolt lock

313 – CONNECT
766 – MODULAR

Suitable for entrance doors.

Exterior :

90° key turn operates deadbolt. Pull handle / deadknob for use as door pull.

Interior :

Thumbturn, 90° turn operates deadbolt. Pull handle/deadknob for use as door pull.

High security sash lock

410 – CONNECT
8765 – MODULAR

Features high security striking plate and 360° key turn.

Exterior :

360° key turn operates deadbolt. Lever handle retracts latchbolt.

Interior :

Thumbturn, 360° turn operates deadbolt. Lever handle retracts latchbolt.

Optional striking plates for roller bolt locks

*Please order separately.



Single Swing Strikes (Con)
1267-1 for 44mm doors
1267-3 for 54mm doors

Single Swing Strikes (Mod)
2867-1 for 44mm doors
2867-3 for 54mm doors



Double Swing Strikes (Con)
1267-2 for 44mm doors
1267-4 for 54mm doors


Double Swing Strikes (Mod)
2867-2 for 44mm doors
2867-4 for 54mm doors



Connect / Modular



Deadlocks



Deadlock

311 – CONNECT
 2788 – MODULAR

Suitable for swing doors or as a secondary lock.

Exterior :


90° key turn operates deadbolt.

Interior :

Thumbturn, 90° turn operates deadbolt.



Mortice latches



Mortice latch

212 – CONNECT
 1498 – MODULAR

Suitable for internal doors where locking is not required.

Exterior :

Lever handle retracts latchbolt.

Interior :

Lever handle retracts latchbolt.

High security deadlock

411 – CONNECT
 9788 – MODULAR

Features high security striking plate and 360° key turn.

Exterior :

360° key turn operates deadbolt.


Interior :

Thumbturn, 360° turn operates deadbolt.

Connect / Modular



Nightlatches



Nightlatch

230 – CONNECT
5784 – MODULAR

Suitable for entrance doors where automatic locking is required.

Exterior :

Key retracts latchbolt.
Automatic deadlocking.

Interior :

Thumbturn retracts latchbolt.
Snib lockback.

Nightlatch options

These products are also available in the following variants:


231 (Con) – 5785 (Mod)
With key lockback.

232 (Con) – 6785 (Mod)
Without lockback.

6780 (Con)
With key lockback;
non-deadlocking.



Double n/latches



Double nightlatch

220 – CONNECT
760 – MODULAR

Suitable for classroom doors, offices, industrial premises etc.

Exterior :

Key retracts both latchbolts, lever retracts lower latch only.
Automatic deadlocking.

Interior :

Thumbturn retracts both latchbolts, lever retracts lower latch only. Snib lockback.

Double nightlatch options

These products are also available in the following variants:

221 (Con) – 762 (Mod)
With key lockback.


1760 (Mod)
Without lockback.



Connect / Modular



Split follower



Escape sash lock

640 – CONNECT
 1520 – MODULAR

Single action escape. Suitable for classrooms, offices, flats etc.

Exterior :

90° key turn operates deadbolt and latchbolt. Lever handle retracts latchbolt.


Interior :

Thumbturn operates deadbolt and latchbolt. Lever handle retracts both bolts.

1520 deadbolt has 25mm throw.



Split follower



Escape double n/latch

620 – CONNECT
 500/4 – MODULAR

Single action escape. Suitable for classrooms, offices, flats etc.

Exterior :

Key retracts both latchbolts. Lever handle retracts lower latchbolt. Automatic deadlocking.

Interior :

Lever handle retracts both bolts. Snib lockback.

Escape double n/latch

624 – CONNECT
 500/9 – MODULAR

Single action escape. Suitable for classrooms, offices, flats etc.

Exterior :

Key retracts both latchbolts. Lever handle retracts lower latchbolt. Automatic deadlocking.


Interior :

Lever handle retracts both bolts. Cylinder key lockback.

Connect / Modular



Emergency N/Ls




**Emergency
nightlatch**

236 – CONNECT
8761 – MODULAR

Suitable for external doors used for emergency exit.
Automatic deadlocking.



Emergency N/Ls



**Light sprung
emergency nightlatch**

235 – CONNECT
8760 – MODULAR

Suitable for external doors used for emergency exit. Used with break-dome thumbturns.
Automatic deadlocking.

Emergency nightlatch options

These products are also available in the following variants:

234 (Con) – 8762 (Mod)

With key lockback.

8759 (Mod)

With key lockback;
non-deadlocking.

L/Sprung emergency nightlatch options

These products are also available in the following variants:

8764 (Mod)

With key lockback.




Connect / Modular

Emergency lock variations

To suit Connect 236 and 234, and Modular 8761, 8762 and 8759 emergency nightlatches. These variations use standard lever handles.




Variation 20




Exterior :
 Key operation.
 Deadknob.
Interior :
 Lever handle.

Variation 20A



Exterior :
 Key operation.
Interior :
 Lever handle.

Variation 20B




Exterior :
 Key operation.
Interior :
 Return to door
 lever handle.

Emergency lock variations

To suit Connect 235 and Modular 8760 and 8764 light sprung nightlatches. These variations use break-dome thumbturns.




Variation 1




Exterior :
 Key operation.
Interior :
 Key operation.
 B/D thumbturn.

Variation 11




Exterior :
 Deadknob.
Interior :
 Key operation.
 B/D thumbturn.

Variation 2



Exterior :
 Key operation.
 Deadknob.
Interior :
 Key operation.
 B/D thumbturn.

Variation 12



Exterior :
 Key operation.
 Deadknob.
Interior :
 B/D thumbturn.


Connect / Modular

Emergency lock variations

To suit Connect 235 and Modular 8760 and 8764 light sprung nightlatches. These variations use break-dome thumbturns.




Variation 3



Exterior :
Key operation.
B/D thumbturn.

Interior :
Key operation.
B/D thumbturn.


Variation 13



Exterior :
Key operation.
B/D thumbturn.

Interior :
Lever handle.


Variation 7



Exterior :
No access.

Interior :
Key operation.
B/D thumbturn.


Variation 21



Exterior :
No access.

Interior :
B/D thumbturn.


Variation 8



Exterior :
Key operation.

Interior :
B/D thumbturn.


Variation 22



Exterior :
B/D thumbturn.

Interior :
B/D thumbturn.


Variation 9



Exterior :
Key operation.
B/D thumbturn.

Interior :
B/D thumbturn.


Variation 23



Exterior :
Deadknob.

Interior :
B/D thumbturn.


Variation 10



Exterior :
B/D thumbturn.

Interior :
Key operation.
B/D thumbturn.

Variation 24



Exterior :
B/D thumbturn.

Interior :
Lever handle.



Connect / Modular




Emergency locks

Emergency sash lock

710 – CONNECT (179A accs)

Suitable for emergency escape applications. Meets BS EN 179.

**Operation :**


Key operates hookbolt. Lever retracts latch.

Interior only:

Escape handle retracts both bolts.



Special sash locks

**Special sash lock**2002 – CONNECT
2000 – MODULAR

For external doors on houses. Ensures both security and escape.

Exterior :

Key operates deadbolt. Lever handle retracts latchbolt. Unlocking with key re-activates internal thumbturn.

Interior :


Key operates deadbolt. Thumbturn operates deadbolt, but only if faceplate snib is not activated. Lever handle retracts latchbolt.

Note: supplied as package with cylinder and accessories.

Emergency deadlock

711 – CONNECT (179B accs)

Suitable for emergency escape applications. Meets BS EN 179.

**Operation :**

Key operates hookbolt.


Interior only:

Escape handle retracts hookbolt.

Emergency nightlatch

732 – CONNECT (179B accs)

Suitable for emergency escape applications. Meets BS EN 179.

**Operation :**

Key retracts latch. Automatic deadlocking.


Interior only:

Escape handle retracts latch.

Connect / Modular



Toilet locks



Toilet lock

310T – CONNECT
565T – MODULAR

Suitable for bathroom and toilet doors, waiting rooms etc.

Exterior :


Indicator rose with emergency device. Handle retracts latchbolt.

Interior :

Thumbturn operates deadbolt and latchbolt. Handle retracts latchbolt.



Flip-up handle



Flip-up handle toilet lock

9310T – CONNECT
9565T – MODULAR

Suitable for bathroom and toilet doors, waiting rooms etc. Ideal for disabled people.

Exterior :

Indicator rose with emergency device. Handle retracts latchbolt.

Interior :

Handle flips up to lock, down to unlock and retract both bolts.

Flip-up handle toilet lock

9311T-1 – CONNECT
9566T-1 – MODULAR

Suitable for bathroom and toilet doors, waiting rooms etc. Ideal for disabled people.

Exterior :

Indicator rose with emergency device.

Interior :

Handle flips up to lock, down to unlock deadbolt.




Euro D450



Standard locks

Sash lock

D455 – 60mm backset
 Suitable for entrance doors.



Exterior :
 Double key turn operates deadbolt. Lever handle retracts latchbolt.


Interior :
 Thumbturn, double turn operates deadbolt. Lever handle retracts latchbolt.



Standard locks

Bathroom lock

D453 – 60mm backset
 Suitable for bathroom and toilet doors, waiting rooms etc.




Exterior :
 Indicator rose with emergency device. Handle retracts latchbolt.

Interior :
 Thumbturn operates deadbolt. Handle retracts latchbolt.

Deadlock

D454 – 60mm backset
 Suitable for swing doors or as a secondary lock.




Exterior :
 Double key turn operates deadbolt.

Interior :
 Thumbturn, double turn operates deadbolt.

Latch

D452 – 60mm backset
 Suitable for internal doors where locking is not required.



Exterior :
 Lever handle retracts latchbolt.

Interior :
 Lever handle retracts latchbolt.

Euro D450




Special locks

Escape nightlatch

D456 – 60mm backset

Suitable for external doors used for emergency exit.



Exterior :

Key retracts latchbolt.
Automatic deadlocking.

Interior :

Lever handle retracts latchbolt.

Also available non-deadlocking:
D4522




Special locks

Escape sash lock

D458 – 60mm backset

Single action escape. Suitable for classrooms, offices, flats etc.



Exterior :

Key operates deadbolt. Handle retracts latchbolt.


Interior :

Thumbturn operates deadbolt.
Handle retracts both bolts.

Escape nightlatch with lockable handle

D457 – 60mm backset

Suitable for external doors used for emergency exit.



Exterior :

Lever handle retracts latchbolt when not locked. Key locks/unlocks handle. Automatic deadlocking.


Interior :

Lever handle retracts latchbolt at all times. Turn locks/unlocks exterior handle.

Escape sash lock for fire doors

D459 – 60mm backset

Single action escape. Suitable for classrooms, offices, flats etc.



Exterior :

Key operates deadbolt, but only when door is closed. Handle retracts latchbolt.

Interior :

Thumbturn operates deadbolt when door is closed. Handle retracts both bolts.



Special function locks

ASSA Compact locks

Heavy duty locks designed to standard UK dimensions, 57mm backset. Accept both Euro and UK Oval Profile cylinders.

3065: sash lock

3088: deadlock

3098: latch

3055T: bathroom lock

Special function locks also available.



Small case locks

Locks designed for ease of fitting using hand tools, 50mm backset. Accept Scandinavian Oval or Round cylinders.

8788: deadlock

785: sash lock

2020T: toilet latch



Narrow profile locks

Locks for narrow stile doors, 28mm backset. Accept Scandinavian Oval cylinders.

13787: hookbolt

1385: nightlatch

1361: escape nightlatch



Three-point locking

Three-point mortice locks comprising a central sash lock and two hookbolts. 50mm backset, accept Scandinavian Oval or Round cylinders.

2025: sash lock

2000: special sash lock with security/safety function



Gate lock

High security gate lock with two vertical locking bolts. Accepts Scandinavian Oval cylinders.

785: gate lock



Special function locks

Cupboard & cabinet locks

Locks for fitting to cupboards and cabinets.
Masterkeyable.

673.1: cut deadlock 1792: cupboard lock
673.2: rim deadlock 2792: cupboard deadlock
674.2: sliding door lock 1796: drug cupboard lock



Rim locks

Rim locks, 61mm backset. Accept Scandinavian Oval rim cylinders.

776: nightlatch
777: deadlock



Lever lock

Locks for lightweight inner doors, 45mm backset.
Three-lever locking mechanism.

40C: lever lock



Blocking locks

Locks for blocking switches and fuse boxes to prevent accidents. Accept Scandinavian Oval cylinders, with capacity to fit six individual padlocks.

F1530: ASSA Flexcore
14830: ASSA 4800
C15830: ASSA Twin Combi
14430: ASSA dp4400



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.



ASSA
School Street
Willenhall
West Midlands
WV13 3PW
T: 020 8688 5191
F: 020 8688 0285
Email: sales@assaabloyuk.com
Web: www.assa.co.uk