

# WONDERFUL HAND WASHING AND SANITISING SOLUTIONS



# FREE STANDING DISPENSERS

## Free standing liquid soap and hand sanitiser dispensers



### Freestanding liquid soap and hand sanitiser dispensers

Manufactured from high quality durable stainless steel and with a compact footprint, these free-standing units are ideal for the entrance of a variety of environments including; shops, offices, hotels, restaurants and shopping centres. Each unit can be easily refilled, either through the key lock fronts or access panel and the freestanding design and battery-powered options adds ultimate flexibility when positioning.



#### DVS TOUCH-FREE HAND SANITISER DISPENSER WITH STAND

High quality stand with a small footprint which includes a DVS branded bib sanitiser dispenser and concealed 1.6 -2 ltr refillable bottle. This touch-free sanitiser dispenser is ideal for high use areas and can be powered either by battery only or connected to mains power. Comes complete with battery and 5l of sanitiser.

**AC00-050** 201.0624.808

Recommended

**AC00-008** 201.0631.912 Alcohol-free sanitiser refill (5L)



#### TOUCH-FREE FRANKE LIQUID SOAP AND HAND SANITISER DISPENSERS WITH FREESTANDING SLIMLINE STAND

Slimline floor standing station with a small footprint and anti-spill tray. Manufactured from stainless steel with satin finish, material thickness 1.2mm (1.5mm base) suitable for liquid soaps, lotions and sanitiser depending on model (see below). All dispensers are touch-free with an inspection window and keylock for easy access and maintenance. Option to convert to sanitiser station via conversion kit (sold separately).

Dimensions: 350 x 1525 x 350 mm (W x H x D)

<b>RODX627H-STD37</b>	201.0624.739	Rodan sanitiser with slimline stand	
<b>STRX627-STD37</b>	201.0631.094	Stratos sanitiser with slimline stand	
<b>EXOS627X-STD37</b>	201.0631.096	Exos. sanitiser with slimline stand	
<b>RODX625H-STD37</b>	201.0624.735	Rodan soap dispenser with slimline stand	
<b>STRX625-STD37</b>	201.0624.801	Stratos soap dispenser with slimline stand	
<b>EXOS625X-STD37</b>	201.0624.803	EXOS. soap dispenser with slimline stand	



#### TOUCH-FREE FRANKE LIQUID SOAP AND HAND SANITISER DISPENSERS WITH PREMIUM STAND

Premium floor standing station with a small footprint and anti-spill tray. Manufactured from stainless steel with satin finish, material thickness 1.2mm (1.5mm base) suitable for liquid soaps, lotions and sanitiser depending on model (see below). All dispensers are touch-free with an inspection window and keylock for easy access and maintenance. Option to convert to sanitiser station via conversion kit (sold separately).

Dimensions: 400 x 1525 x 350 mm (W x H x D)

<b>RODX627H-STD36</b>	201.0624.740	Rodan sanitiser with premium stand	
<b>STRX627-STD36</b>	201.0631.097	Stratos sanitiser with premium stand	
<b>EXOS627X-STD36</b>	201.0631.098	Exos. sanitiser with premium stand	
<b>RODX625H-STD36</b>	201.0624.737	Rodan soap dispenser with premium stand	
<b>STRX625-STD36</b>	201.0624.802	Stratos soap dispenser with premium stand	
<b>EXOS625X-STD36</b>	201.0624.804	EXOS. soap dispenser with premium stand	

#### ADDITIONAL OPTIONS

Sanitiser conversion kit for Franke soap dispensers

**EACCS055** 230.0601.308 For Exos. & Rodan ranges

**EACCS057** 230.0598.604 For Stratos ranges

Junior heights and manual dispensers also available.

# WASHBASINS

## Robust stainless steel washbasins



### Franke Knee operated basins

This simple touch-free solution for handwashing was traditionally used in food preparation has now increased in popularity in a variety of different locations. The water temperature of the single pre-mixed water spout can be adjusted using an external TMV, and the large front panel is easy to use making this ideal for a variety of environments.



#### KNEE OPERATED WASHBASIN WITH ROUND BOWL

Compact washbasins with round bowl for mounting to a wall or panel systems. Complete with waste fitting and knee operated spout.

<b>ANMX216</b>	203.0000.038	305 x 268 x 501mm
<b>ANMX212N</b>	203.0478.868	338 x 343 x 535mm



#### KNEE OPERATED WASHBASIN WITH RECTANGULAR BOWL

Washbasin with rectangular bowl for mounting to a wall or panel systems. Complete with waste fitting and knee operated spout.

<b>ANMX206</b>	203.0000.035	450 x 380 x 520mm
----------------	--------------	-------------------

### Franke wall hung and floor standing basins

Manufactured from grade 304 stainless steel providing a robust and durable solution. The Franke basins are ideal for mounting in a variety of locations supplying a flexible hand washing solution for temporary spaces, such as building sites, or more permanent handwashing areas for the general public and staff. Their compact size and integrated brackets allows them to be easily added to panel systems or existing walls at the entranceway to sites and buildings.



#### WB18 WALL MOUNTED WASHBASIN WITH LEVER TAPS

Rectangular washbasin for mounting to a wall or panel systems. Complete with waste fitting and 2 Franke lever taps.  
457 x 357 x 165mm

**D20163N-FL** 203.0581.026



#### MODEL A WALL MOUNTED BASINS WITH LEVER TAPS

Compact washbasins with round bowls for mounting to a wall or panel systems. Complete with waste fitting and 2 Franke lever taps.  
290 x 290 x 157mm

**D20161N-FL** 203.0571.022



#### MODEL B WALL MOUNTED BASINS WITH LEVER TAPS

Compact washbasins with round bowls for mounting to a wall or panel systems. Complete with waste fitting and 2 Franke lever taps.  
340 x 345 x 185mm

**D20162N-FL** 203.0581.024



#### ALL-IN-ONE HANDWASH PACK III

Rectangular washbasin for mounting to a wall or panel systems. Complete with waste fitting, DVS branded touch-free tap and soap dispenser.  
457 x 357 x 165mm

**ANMX** 203.0590.397



#### FOOT OPERATED HAND WASH BASIN

Floor standing stainless steel washbasin unit with foot operated spout  
450 x 450 x 850mm

**LP21** 203.0498.353



#### FOOD HANDLERS HAND WASH BASIN

Handwash basins with front leg supports. Comes with lever tap, soap dispenser and paper towel dispenser.  
450 x 450 x 860mm

**D20200N** 203.0000.073


# PLANOX STAINLESS STEEL WASHTROUGHS AND TAPS

## Seamlessly welded hygienic solutions



### Franke Planox washtroughs

Functional, easy-to-clean and user-friendly solution whilst ensuring optimum hygiene. Planox washtroughs are seamlessly welded using an innovative robotic laser, making them highly resistant to dirt and bacteria. The washtroughs have been designed to feature a 1cm lowered tap ledge which prevents water spilling on to the floor. Manufactured from 0.8mm thick, grade 304 stainless steel with 1.2mm thick side panels. All the products include a 38mm central domed strainer waste and integrated brackets.



#### PLANOX TAP LEDGE OPTIONS

SIZE	MODEL	TAP HOLES	CODE	UNDER FRAME
600mm	PL6T-UK	1	203.0564.759	PL6F
800mm	PL8T-UK	1	203.0564.760	PL8F
1200mm	PL12T-UK	2	203.0563.654	PL12F
1600mm	PL16T-UK	2	203.0564.761	PL16F
1800mm	PL18T-UK	3	203.0564.762	PL18F
2400mm	PL24T-UK	4	203.0564.763	PL24F
3000mm	PL30T-UK	5	203.0564.767	PL30F

#### PLANOX WITHOUT TAP LEDGE

SIZE	MODEL	CODE	UNDER FRAME
600mm	PL6-UK	203.0564.719	PL6F-S
800mm	PL8-UK	203.0564.751	PL8F-S
1200mm	PL12-UK	203.0564.752	PL12F-S
1600mm	PL16-UK	203.0564.754	PL16F-S
1800mm	PL18-UK	203.0564.755	PL18F-S
2400mm	PL24-UK	203.0564.757	PL24F-S
3000mm	PL30-UK	203.0564.758	PL30F-S

For use with planox washtroughs with tap ledge...



#### DVS CLASSIC TOUCH-FREE TAP

Classic swan neck tap with touch-free operation. Manufactured with chrome plated brass. Battery or mains kit required.

**AT01-001** 208.0481.307



#### SWIVEL SPOUT AND KNEE OPP VALVE

**F1007** 208.0000.005 Spout  
**F1076** 208.0000.021 Valve



#### F3S SELF-CLOSING PILLAR TAP FOR PRE-MIXED WATER

F3S self-closing pillar tap with hydraulically controlled piston free cartridge.

**F3SV1001** 208.0519.518



#### AQUARIUS DM A45 TAP WITH PEX HOSES

Aquarius deck mounted 45° tap manufactured from 316 stainless steel with pex hoses. Battery or mains kit required.

**AT03-011** 208.0000.080

For use with planox washtroughs without tap ledge...



#### DVS TOUCH-FREE BIB TAP

Aquarius wall mounted bib tap manufactured from 316 stainless steel with pex hose for pre-mixed water. Battery or mains kit required.

**AT02-011** 208.0606.402



#### F3 SELF-CLOSING BIB TAP

F3S self-closing hydraulically controlled bib tap for pre-mixed water.

**F3SV1002** 208.0563.602



#### Thermostatic mixing valve (TMV)

Thermostatic Mixing Valve 4in1. Controls the mixed water temperature to within +/- 2°C from the hot and cold water supplies. If the hot or cold water supply is interrupted the outlet will shut off.




# CUSTOMISED PLANOX STAINLESS STEEL WASHTROUGHS

Create to your specification



## Customisable washtroughs

The Planox range of washtroughs is easily customisable to meet your needs with sizes from 60cm to 3m, and any size in between, these flexible troughs can fit into any space. You can provide more space between wash spaces by increasing the gap between tap holes and add Franke and DVS branded deck mounted soap dispensers for an all in one solution. The troughs come as standard with integrated brackets, and if extra support is needed underframes are available to meet your specification.



## CHOOSE THE SIZE

Designed to fit any space and environment. Customise the length of your washtrough with any size from 600mm to 3000mm



### WITH TAP LEDGE

Lower tap ledge to prevent water splashing onto the floor



### WITHOUT TAP LEDGE

Ideal for use with Franke bib taps



### UNDERFRAME

Add a stainless steel underframe for extra support or a free standing unit



### NUMBER AND SPACING OF TAP HOLES

Customise the number of tap holes to match your requirements



### SHROUD

Conceal plumbing by adding a shroud (available in two sizes)



### TAPS AND ACCESSORIES

Conceal plumbing by adding a shroud (available in two sizes)



### SPLASHBACK

A hygienic solution preventing residue build up on the wall



### BOX SPLASHBACK

Hygienic solution with space behind to install bib taps

# SOAP AND SANITISER DISPENSERS

Robust and elegant washroom accessories



## Deck mounted soap dispensers

Manufactured from chromated brass the range features both touch-free and push-button operation. The longer spout reaches easily over the bowl providing cleaner operation and reduces the risk of soap sitting on the surfaces. The SD80 has a 1 litre soap tank with membrane for pressure balance, which is filled from above, and the SD01-003 comes with a larger 2 litre tank for soap or sanitiser.



### DECK MOUNTED TOUCH-FREE SOAP AND SANITISER DISPENSER †

Touch-free operation with clean design. 2 litre soap tank. Comes complete with mains and battery kit.

**SD01-003** 201.0624.810

Recommended

**AC00-008** 201.0631.912 Alcohol-free sanitiser refill (5L)



### DECK MOUNTED PUSH BUTTON SOAP DISPENSER\*

With a robust push button top and long spout with 140mm projection. 1 litre liquid soap tank.

**SD80** 201.0000.022

Recommended

**SO10L** 220.0000.000 Liquid soap (10L)

## Wall Mounted soap dispensers

Manufactured from high quality stainless steel this durable range of soap dispensers are perfect for high use areas. The touch-free range releases a predefined amount of soap when triggered. The four different styles, Rodan, Stratos, Exos and vandal resistant, allow you to choose the perfect fit for the situation.



### VANDAL-RESISTANT SOAP AND SANITISER DISPENSER

Vandal-resistant touch-free dispenser suitable for liquid soaps and lotions. 800 ml tank.

**AC00-030** 201.0615.051



### RODAN SANITISER DISPENSER

Stainless steel touch-free dispenser suitable for lotions and disinfectants. 800 ml tank.

**RODX627H** 201.0615.053



### EXOS SOAP AND SANITISER DISPENSER

Stainless steel touch-free dispenser suitable for liquid soaps and lotions. 800 ml tank.

**EXOS627X** 201.0631.106



### STRATOS SANITISER DISPENSER

Stainless steel touch-free dispenser suitable for lotions and disinfectants. 800 ml tank.

**STRX627** 201.0631.105



### STRATOS TOUCH-FREE SOAP DISPENSER

Suitable for liquid soaps and lotions. 800 ml soap tank.

**STRX625** 201.0000.042



### EXOS. TOUCH-FREE SOAP DISPENSER

Suitable for liquid soaps and lotions. 800 ml soap tank.

**EXOS625X** 201.0000.044 Stainless steel front  
**EXOS625B** 201.0000.042 Black front



### RODAN TOUCH-FREE SOAP DISPENSER

Suitable for liquid soaps and lotions. 800 ml soap tank.

**RODX625H** 201.0622.783

Replacement soap and sanitiser

**SO10L** 220.0000.000 Liquid soap (10L)

**AC00-008** 201.0631.912 5 litre sanitiser refill

Sanitiser conversion kit for Franke soap dispensers

**EACCS055** 230.0601.308 For Exos. & Rodan ranges

**EACCS057** 230.0598.604 For Stratos ranges

Make  
it  
Wonderful

#### NORTHERN OFFICE

Franke Water Systems  
14 Napier Court  
Gander Lane  
Barlborough  
S43 4PZ  
Phone +44 (0)1246 458900  
ws-info.uk@franke.com  
www.franke.co.uk

#### SOUTHERN OFFICE

Dart Valley Systems  
Kemings Close  
Long Road  
Paignton, Devon  
TQ4 7TW  
Phone +44 (0) 1803 529021  
sales@dartvalley.co.uk  
www.dartvalley.co.uk

