

FRANKE WATER SYSTEMS

World leader in supplying education solutions

66 Franke's brand promise is to 'Make It Wonderful', whether you are a business partner or an end user >>

Over 230 years of experience

Franke has been specialising in products for commercial washrooms for over 230 years and Dart Valley Systems are a market leader in the field of water saving products and automatic washroom solutions, supplying products into the healthcare market for over 35 years. Together Franke and DVS provide one wonderful solution to specialist applications.

Designed with the users in mind, the Franke's education range allows you to create an inviting and easily maintained washroom no matter the age range, type of establishment, number of users or size of washroom. With a number of complementary product ranges you can create a consistent look across multiple washroom types such as; separate genders, communal hand washing, and less-abled areas.



ACCREDITATIONS 4-5

BREEAM Franke can assist specifiers in achieving BREEAM points for projects with a range of water and energy efficient products.

UNIFIED WATER LABEL Part of the BMA, the water efficient product label focuses on specific water saving products that are particularly water efficient.



NSF TMV3

TMV3 scheme ensures that products are suitable for healthcare environments and provide a safe water supply.



HOLDERS OF ISO9001 globally recognised rigorous set of standards for quality management.

HOLDERS OF ISO 14001 globally recognised rigorous set of standards for environmental management

ACCREDITED CONTRACTOR CHAS The Contractors Health and Safety Assessment Scheme improves health and safety standards

Scheme improves health and safety standards across the UK.

SAFE CONTRACTOR APPROVED

SafeContractor delivers a tailored health and safety accreditation.

constructiononline Help buyers to simplify and speed up their search, improving resource and cost efficiency through the validation of purchasing decisions. Based on suppliers completion of multiple document working to the PAS 91 criteria.

RIBA CPD We offer a choice of RIBA approved CPD interactive seminars – a must for anyone specifying washrooms for commercial projects.

BMA The Bathroom Manufacturers
Association acts as an information highway between Industry Government and the consumer on all issues that affect the bathroom business in the UK.

WELS Australian Standards relating to product quality, including health and safety efficiency.



$\label{eq:cemarking} \textbf{CE MARKING} \ \text{is}$

applied to products to indicate conformity to the current regulations. Certifications can be found on our websites.



NBS SOURCE is a tool

that creates a single source for product information and data. There are over 200 products listed and a range of corresponding BIM models available for both Franke and Dart Valley branded ranges.




WATER TECHNOLOGY LIST

(WTL) WTL provides details of products that qualify for the enhanced capital allowance scheme, both Franke and Dart Valley branded ranges are listed in the database.

PRIMARY, PRE-SCHOOL AND **NURSERIES**

Learning through play





WASHINO CHILDREN'S WASH-AND-PLAY TROUGH

The playful wave and pleasant warm surface of the Miranit material are a temptation for children to wash

Dimensions: 1100 - 1600 x 240 x 450mm (W x H x D)

SANW200P 203.0000.177 Two tap holes - 1100mm **SANW215P** 203.0000.183 Three tap holes - 1600mm



WASHINO SPLIT LEVEL CHILDREN'S **WASH-AND-PLAY TROUGH**

The playful wave and pleasant warm surface of the Miranit material are a temptation for children to wash their hands. The split level design makes it easy for children of different heights to wash their hands comfortably.

Dimensions: 2100 x 340 x 470mm (W x H x D)

SANW211P 203.0473.924 Right hand lower **SANW212P** 203.0473.925 Left hand lower **SANW205P** 203.0000.179 Straight

PRIMARY EDUCATION WASHROOMS

There are many ways to encourage good personal hygiene in children, one of which is creating a pleasant and playful environment, therefore learning by play is an important factor in today's educational washrooms.

The playful design of wave-shaped basins are practical for children of different ages, with an indent designed to reduce the distance to the taps, increasing accessibility.



material











resistant

PRIMARY EDUCATION

Warm to touch, low maintenance Miranit washbasins





GAMBA CHILDREN'S MIRANIT WASHBASIN

Manufactured from Miranit granite composite with asymmetric tap landing and storage space. These compact basins are perfect for classrooms or hallways.

Dimensions: 190 x 450 x 390 mm (W x H x D)

ANMW198 203.0000.127



LUNA CHILDREN'S MIRANIT WASHBASIN

Manufactured from Miranit granite composite with a round moulded form that is flattened to the rear. Includes a tap landing and storage space.

Dimensions: 450 x 190 x 390 mm (W x H x D)

ANMW199 203.0000.128



MIRANIT CLASSROOM SINK WITH DRAINER

Manufactured from Miranit granite composite, this sink is perfect for classrooms with arts and crafts areas, complete with drainer for soaps and lotions.

Dimensions: 600 x 150 x 450 mm (W x H x D)

ANMW322 203.0000.016 1 tap hole

ANMW323 203.0000.017 without tap hole

MIRANIT WASHBASINS FOR PRIMARY EDUCATION

The compact size of these solid surface basins is perfect for primary school washrooms and classrooms. Manufactured from Miranit granite composite material which is easy to clean, hygienic and temperature resistant up to 80°C. Miranit has a smooth, pore-free and highgloss Gelcoat surface which is cast in a single mould without any seams or joints. Miranit is extremely hardwearing and impact resistant and has been designed to withstand years of high use.












SECONDARY EDUCATION

Miranit washtroughs





2 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1200 x 170 x 480mm (W x H x D)

SOLX1200	203.0000.217	Without tap holes
SOLX1200T	203.0000.226	With tap holes
SOLX1200E	203.0000.218	With electronic taps
SOLX1200MF3	203.0547.761	With self-closing taps



3 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1800 x 170 x 480mm (W x H x D)

SOLX1800	203.0000.229	Without tap holes
SOLX1800T	203.0000.238	With tap holes
SOLX1800E	203.0000.230	With electronic taps
SOLX1800MF3	203.0547.762	With self-closing taps



4 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 2400 x 170 x 480mm (W x H x D)

SOLX2400	203.0000.241	Without tap holes
SOLX2400T	203.0000.249	With tap holes
SOLX2400E	203.0000.242	With electronic taps
SOLX2400MF3	203.0547.763	With self-closing taps

MIRANIT COMPOSITE WASHTROUGHS

Miranit troughs are ideal for secondary education areas as they are manufactured from a robust solid surface material. Available in 2, 3 or 4 person wash stations the troughs are ideal for even the largest secondary schools with high footfall. Different options available; with or without tap holes, with electronic or self-closing taps and splash-back options.



material









to 80°C

SECONDARY EDUCATION

Seamlessly welded stainless steel washtroughs

Stainless steel washtroughs

The Planox range of washtroughs offers a functional, easy-to-clean and user-friendly solution whilst ensuring optimum hygiene. Manufactured from 1.2mm thick grade 1.4301 (304) stainless steel with a satin polished finish, these troughs can withstand high usage areas such as secondary schools, higher education and specialist colleges. The troughs are seamlessly welded using an innovative robotic laser, making them highly resistant to dirt and bacteria. The 1cm lowered tap ledge stops water from spilling on to the floor, preventing hazards and maintaining excellent levels of hygiene.

Planox washtroughs

PL6T-UK	203.0564.759	600mm trough with tap ledge	
PL8T-UK	203.0564.760	800mm trough with tap ledge	
PL12T-UK	203.0563.654	1200mm trough with tap ledges	
PL16T-UK	203.0564.761	1600mm trough with tap ledge	
PL18T-UK	203.0564.762	1800mm trough with tap ledge	
PL24T-UK	203.0564.763	2400mm trough with tap ledge	
PL30T-UK	203.0564.767	3000mm trough with tap ledge	

Also available with deck mounted taps, see brassware on pages 20-25

Planox washtroughs with bib taps

PL6-UK	203.0564.719	600mm trough without tap ledge	
PL8-UK	203.0564.751	800mm trough without tap ledge	
PL12-UK	203.0564.752	1200mm trough without tap ledge	
PL16-UK	203.0564.754	1600mm trough without tap ledge	
PL18-UK	203.0564.755	1800mm trough without tap ledge	
PL24-UK	203.0564.757	2400mm trough without tap ledge	
PL30-UK	203.0564.758	3000mm trough without tap ledge	

Also available with bib taps, see brassware on pages 20-25

Optional shrouds

Conceal plumbing by adding a shroud (available in two sizes).

PL-SHROUD LRG 203.0563.655 23 x 305 x 244mm **PL-SHROUD SML** 203.0564.788 123 x 305 x 241mm















SECONDARY EDUCATION

Anti-bullying, inclusive solutions





6 PERSON CIRCULAR WASHTROUGH

Manufactured from 304 stainless steel. Dimensions: 1000 x 1205 x 1000mm (W x H x D)

SANX600	203.0000.203	With self-closing taps
SANX610	203.0000.205	With electronic taps

With soap dispensers

SANX605	203.0000.204	With self-closing taps
SANX615	203.0000.206	With electronic taps



8 PERSON CIRCULAR WASHTROUGH

Manufactured from 304 stainless steel. Dimensions: 1300 x 1220 x 1300mm (W x H x D)

SANX800	203.0000.211	With self-closing taps
SANX810	203.0000.213	With electronic taps

With soap dispensers

SANX805	203.0000.212	With self-closing taps
SANX815	203.0000.214	With electronic taps

CIRCULAR WASHTROUGHS

The washtroughs have been designed to reduce the risk of bullying. The circular design is less intimidating as it gives students ample space around the area leaving them feeling less conscious about being pushed into a corner.

Franke's range of circular and semi-circular washtroughs provide an ideal solution where space is limited and are suitable for up to 4 users for the semi-circular version and up to 8 users for the circular version. Manufactured from a high grade 304 stainless steel and the best quality fittings, they offer additional benefits over the use of conventional washbasins. These washtroughs are highly durable to withstand intensive use in busy environments.













construction

HIGHER EDUCATION

Student accommodation





RENO SINGLE BOWL TAP AND SINK PACK

Reversible inset single bowl sink with F1059N mono mixer tap. Complete with 3 1/2" waste and overflow pack.

F0309NTP	207.0613.408	Reno 90 - 860 x 500mm
F0305NTP	207.0613.406	Reno 100 - 1000 x 500mm



RENO 1 1/2" BOWL TAP AND SINK PACK

Reversible inset 1 $\frac{1}{2}$ bowl sink with F1059N mono mixer tap. Complete with 3 $\frac{1}{2}$ " waste and overflow pack.

F0306NTP 207.0613.407 Reno 150 - 1000 x 500mm



F5L-MIX SINGLE-LEVER WALL MOUNTED MIXER

F5L-Mix single-lever mixer DN 15 for surface mounted shower facilities. Ceramic disc mixing catridge and thermostatic protection from scalding, set to 43 °C. Aquajet comfort shower head & pipe for a full solution.

F5LM2001	210.0056.864	F5L shower lever mixer
SHAC0008	210.0577.605	Comfort shower head
ACXX2003	210.0631.767	Shower pipe



QUADRO SOLID SURFACE WASHBASIN

Single Miranit washbasin with tap hole. Add an F5 tap for a full solution. Dimensions: $600 \times 125 \times 530 \text{ mm}$ (W x H x D).

ANMW411	203.0000.149	Single washbasin	
F5LM1001	208.0563.550	F5 pillar lever tap	

HIGHER EDUCATION SOLUTIONS

Franke have a range of products for higher education accommodation, with standard and bespoke products for kitchen areas and bathrooms.





material







Bespoke designs

Besp

TECHNICAL COLLEGES & TRAINING ACADEMIES

Showers for specialist facilities

Products for colleges and training education facilities

Other establishments such as colleges and special training facilities are also important to consider when designing or specifying a project. These could include athletic facilities, Olympic training camps, football academies and more. One of the most important products within this type of environment are showers. Users must have somewhere to shower before and after training whether it be track and field, sports or swimming. These products have been designed to be robust and able to withstand high footfall and continuous use, whilst offering high energy efficiency and sustainability credentials.

















F5S MIX MIRANIT SHOWER PANEL

Miranit shower panel for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. Shower head sold separately (see page 19).

F5SM2026 210.0629.599



F5E THERM STAINLESS STEEL SHOWER

Stainless steel shower panel for wall mounting with thermostatic mixer and connecting nozzles for the shower head. Shower head sold separately (see page 19).

F5ET2020 210.0629.651



F5S MIX STAINLESS STEEL SHOWER PANEL

Stainless steel shower panel for wall mounting with DN 15 self-closing single control mixer and connecting nozzles for the shower head. Shower head sold separately (see page 19).


F5SM2020 210.0629.600



CEILING HEIGHT SHOWER TOWER WITH TACTILE SWITCH

Ceiling height shower tower with high security shower head and tactile switch. With concealed pipework, ligature resistant design and in-built TMV3.

SH01-005 210.0611.633



COMPLETE THE WASHROOM

Touch-free water saving taps

Touch-free taps

The touch-free range of taps provides ultimate flexibility for education environments, with three different ranges; F5E, Aquarius wall mounted straight spouts and the Classic range. The range of taps are all electronically controlled and provide a hygienic touch-free hand washing solution even in the busiest of environments, such as, secondary schools and universities. These WRAS approved taps come in a range of finishes, from satin and high polish grade 316 stainless steel to high polished chrome plated brass. The range is fully programmable with additional functions such as hygiene purge, lockouts and anti-vandal features. DVS and Franke hand held programmable remotes are sold separately.


















Touch-free spout with a satin finish and PEX hoses. Nominal 5 litre per minute flow rate.*

AT03-011 208.0000.080 140mm project.



AQUARIUS STRAIGHT SPOUT

Touch-free spout with a satin finish and PEX hoses. Nominal 5 litre per minute flow rate.*

AT02-001 208.0000.077 150mm project. **AT02-011** 208.0606.402 200mm project.



F5E-MIX ELECTRONIC PILLAR MIXERS

For connecting to hot and cold water via connecting hoses, with an integrated backflow preventer. Nominal 5 litres per minute flow rate.

F5EM1001	208.0563.548	battery
F5EM1003	208.0563.549	mains



CLASSIC SWAN TAP

Touch-free Classic Swan taps with PEX hoses and nominal 5 litre per minute flow rate. Manufactured from chrome plated brass.*

AT01-011	208.0617.515	145mm project.
AT01-001	208.0481.307	145mm project.



COMPLETE THE WASHROOM

Water saving taps

F3 and F5 range of taps

In highly frequented washrooms in various education establishment, it is important to choose taps which reduce the impact of water wastage and vandalism whilst ensuring efficient hygiene.

The F5 range of taps excel in functionality and style and come in three ranges; electronic, self-closing and lever taps. All Franke F5S self-closing taps have been designed with the patented Franke Modular Innovation Cartridge (FRAMIC). The cartridge ensures stagnation-free, hydraulic control of the water flow and sets the highest hygiene standards.

The F3 range has been designed with a classic look in mind. The traditional and elegant design of the F3 self-closing mixer taps are ideal for primary and secondary education washroom











Chrome plated brass

to clean FRAMIC cartridge

*F5S taps only



F5S SELF-CLOSING PILLAR MIXER*

F5S-Mix self-closing pillar mixer with adjustable, turn-proof temperature stop. Designed with the FRAMIC self-closing cartridge. Nominal 5 litres per minute flow rate.

F5SM1001 208.0563.593



F5L-MIX PILLAR LEVER TAP

Designed with a mixing cartridge with ceramic disc technology and thermostatic protection from scalding. Nominal 5 litres per minute flow rate.

100mm project. **F5LM1001** 208.0563.591 **F5LM1002** 208.0563.592 125mm project.



F5S SELF-CLOSING PILLAR TAP*

F5S self-closing pillar tap (pre-mixed) with adjustable flow duration. Designed with the FRAMIC self-closing cartridge. Nominal 5 litres per minute flow rate.

F5SV1001 208.0563.594



F3S SELF-CLOSING PILLAR TAPS

Hydraulically controlled self-closing function which prevents water from flowing back through the system. Nominal 3 litres per minute flow rate.

F3SM1001	208.0563.601	mixer tap
F3SV1001	208.0519.518	pre-mixed



ACCESSORISE

Three different ranges to suit all styles and specifications



High quality stainless steel accessories

Breaking away from mismatching sanitaryware and accessories can separate your washroom from the rest. Adding coordinating ranges of accessories such as matching soap dispensers, hand dryers and waste bins can bring the room to life and add value to the whole washroom.













JUMBO TOILET ROLL HOLDER

EXOS670X	201.0479.701
STRX670	201.0000.060
CHRX670	201.0000.059



EXOS676X	201.0479.684
EXOS676B	201.0479.685
EXOS676W	201.0479.687
STRX672	201.0515.181
RODX672	201.0000.056



EXOS618B

STRX619

RODX619



LIQUID SOAP DISPENSER

EXOS618X 201.0000.041

EXOS618W 201.0000.040

201.0000.039

201.0000.024 201.0000.017









EXOS637X	201.0000.047
EXOS637B	201.0000.045
EXOS637W	201.0000.046
STRX600	201.0515.168
RODX600	201.0000.000











HAND DRYER

EXOS220X	201.0479.675
EXOS220B	201.0479.676
EXOS220W	201.0479.677
STRX220	201.0473.301
RODX310	201.0000.132

WASTE BIN

EXOS605X	201.0000.035
EXOS605B	201.0000.033
EXOS605W	201.0000.034
STRX607	201.0000.078
RODX607	201.0000.089

SOAP AND SANITISER DISPENSERS

Robust and elegant washroom accessories





DECK MOUNTED TOUCH-FREE SOAP AND SANITISER DISPENSER

Touch-free operation with clean design. 2 litre soap tank. Comes complete with mains and battery kit.

SD01-003 201.0624.810

Recommended

AC00-008 201.0631.912 Alcohol-free gel refill (5L)



DECK MOUNTED PUSH BUTTON SOAP DISPENSER*

With a robust push button top and long spout with 140mm projection. 1 litre liquid soap tank

SD80 201.0000.022

Recommended

SO10L 220.0000.000 Liquid soap (10L)

DECK MOUNTED SOAP DISPENSERS

Manufactured from chromated brass the range features both touch-free and push-button operation. The longer spout reaches easily over the bowl providing cleaner operation and reduces the risk of soap sitting on the surfaces

The SD80 has a 1 litre soap tank with membrane for pressure balance, which is filled from above, and the SD01-003 comes with a larger 2 litre tank for soap or sanitiser.











material and loti

Liquid soap and lotions

Push function*

Touch free operation

ee Easy

^{*}SD80 only

SOAP AND SANITISER DISPENSERS

Robust, elegant and touch-free washroom accessories



VANDAL RESISTANT TOUCH-FREE SOAP AND SANITISER DISPENSER

Stainless steel touch-free dispenser suitable for sanitiser, liquid soaps and lotions. 800ml refill tank.

AC00-030 201.0615.051

EXOS. TOUCH-FREE SANITISER/SOAP DISPENSERS

Stainless steel touch-free dispensers. 800ml refill tank.

EXOS627X	201.0631.106	Sanitiser dispenser-steel front
EXOS625X	201.0000.044	Soap dispenser - steel front
EXOS625B	201.0000.042	Soap dispenser - black front
EXOS625W	201.0000.043	Soap dispenser - white front
EACCS055	230.0601.308	Sanitiser conversion kit

STRATOS TOUCH-FREE SANITISER/SOAP DISPENSERS

Stainless steel touch-free dispenser suitable for liquid soaps and lotions. 800ml refill tank.

STRX627	201.0631.105	Sanitiser dispenser
STRX625	201.0000.042	Soap dispenser
EACCS057	230.0598.604	Sanitiser conversion kit

RODAN TOUCH-FREE SANITISER/SOAP DISPENSERS

Stainless steel touch-free dispensers. 800ml refill tank.

RODX627H	201.0615.053	Sanitiser dispenser
RODX625H	201.0622.783	Soap dispenser
EACCS055	230.0601.308	Sanitiser conversion kit

WALL MOUNTED SOAP AND SANITISER DISPENSERS

Manufactured from high quality stainless steel, this durable range of touch-free soap and sanitiser dispensers release a predefined amount of soap when triggered. The four different styles enable a perfect fit for any environment.



operation









SOAP AND SANITISER DISPENSERS

Robust, elegant and touch-free washroom accessories

Liquid soap and hand sanitiser dispensers

Manufactured from high quality durable stainless steel, these free-standing units are ideal in a variety of education environments, from primary schools, right through to universities, whether it be in the atrium or outside lecture theatres. Each unit can be easily refilled, either through the key lock fronts or access panel and the free-standing design and battery-powered options adds ultimate flexibility when positioning.















DVS TOUCH-FREE HAND SANITISER DISPENSER WITH STAND

High quality stand with a small footprint which includes a DVS branded bib sanitiser dispenser and concealed 1.6 -2 litre refillable bottle.* Please note the DVS branded dispenser is only suitable for alcohol-free sanitiser.

AC00-050 201.0624.808

AC00-008 201.0631.912 Alcohol-free 5 litre gel refill



TOUCH-FREE SANITISER/SOAP DISPENSER WITH SLIMLINE STAND

Slimline stand with a small footprint and anti-spill tray. All touch-free dispensers have inspection window and key lock.*

RODX627H-STD37	201.0624.739	Rodan sanitiser
RODX625H-STD37	201.0624.735	Rodan soap dispenser
STRX625-STD37	201.0624.801	Stratos soap dispenser
EXOS625X-STD37	201.0624.803	Exos. soap dispenser
EXOS627X-STD37		Exos. sanitiser



TOUCH-FREE SOAP/HAND SANITISER DISPENSERS WITH PREMIUM STAND

Premium stand with a small footprint and anti-spill tray. All touch-free dispensers have inspection window and key lock.*


RODX627H-STD36	201.0624.740	Rodan sanitiser
RODX625H-STD36	201.0624.737	Rodan soap dispenser
STRX625-STD36	201.0624.802	Stratos soap dispenser
EXOS625X-STD36	201.0624.804	Exos. soap dispenser
EXOS627X-STD36		Exos. sanitiser
•		

^{*}Junior heights and manual dispensers are also available.



SANITARYWARE

Touch-free WCs, flushvalves and cistern kits





CAMPUS FLOOR STANDING PUSH FIT WC PAN

Manufactured from grade 304 steel. Flushing certified to EN 997, concealed flushing rim with min. 4 litre flushing

CMPX597B	205.0000.012	Black seat and lid
CMPX597G	205.0000.013	Grey seat and lid
CMPX597W	205.0000.015	White seat and lid



CAMPUS WALL MOUNTED PUSH FIT WC PAN

Manufactured from grade 304 steel. Flushing certified to EN 997, concealed flushing rim with min. 4 litre flushing capacity.

CMPX592B	205.0000.002	Black seat and lid
CMPX592G	205.0000.003	Grey seat and lid
CMPX592W	205.0000.005	White seat and lid



CONCEALED PLASTIC CISTERN KIT

Kit includes; WRAS approved side entry valve, 2" to 11/2" flush pipe, back to pan connector, and concealed vertical cistern (flush valve sold separately).

WC02-014 209.0610.923

SANITARYWARE

Modern secondary education washrooms need to be functional, stylish and long lasting. Franke have designed a range of products to suit any education project, whether it be a simple renovation or complete washroom revamp.

Franke's stainless steel WCs are a perfect choice for secondary or further education washrooms as they are robust and manufactured from grade 304 stainless steel material. Add Dart Valley branded flush valves and cisterns for a complete water saving solution.












construction

STAINLESS STEEL URINALS

Save water with standard and waterless urinals





URINAL POD

Stainless steel waterless urinal pod, easy to maintain with unique key system.

CMPX538WFP	208.0606.551	push fit, water-free
CMPX538P	205.0000.044	push fit, electronic
CMPX538CD	205.0000.057	push fit, duct mounted
HDTX538P	205.0000.052	bolt fix, electronic



WATERLESS URINAL SLAB

Stainless steel waterless urinal slabs, easy to maintain with unique key system, available with left and right hand wastes.

G20125L	205.0560.088	1200mm left hand	
G20125R	205.0000.066	1200mm right hand	
G20126L	205.0553.762	1800mm left hand	
G20126R	205.0553.763	1800mm right hand	



CENTINEL SLAB URINAL

Stainless steel urinal with concealed sparge pipe. Bespoke lengths and exposed sparge pipe options are also available.

CEN120C	205.0651.539	1200 x 300 x 555mm (9I)
CEN150C	205.0651.635	1500 x 300 x 555mm (9I)
CEN180C	205.0651.540	1800 x 300 x 555mm (13.5l)
CEN240C	205.0651.631	2400 x 300 x 555mm (13.5l)

STAINLESS STEEL URINALS

Over half of 'domestic' water used in commercial premises can be due to urinals operating without flush controls. Adding the correct flush controls such as DVS Flushmatic, or installing waterless products can vastly reduce water bills with minimal initial outlay.

All Franke branded urinals are manufactured from robust 1.2mm thick grade 1.4301 (304) stainless steel with a satin finish. The urinals have been specifically designed for easy installation and maintenance.













Robust material

Efficient

nt 304 s

4 stainless steel r

Easy Itenance

REDUCING PLASTIC WASTE

Stainless steel drinking fountains

Refill not landfill and make our planet wonderful

The drinking fountain range from Franke Water Systems provide an option suitable for a variety of applications; wall mounted or floor standing, with or without bottle filler and chilled options too. In the last 15 years, consumption of bottled water has doubled, having drinking fountains readily available will encourage students and staff to fill up re-usable bottles rather than purchasing more plastic.





DRINKING FOUNTAIN









Manufactured from 1.2mm thick grade 304 stainless steel. Supplied complete with 19mm

G20100N 213.0000.011 Bubbler only **G20109N** 213.0000.013 Bubbler & bottle filler



STAINLESS STEEL DRINKING FOUNTAIN WITH PEDESTAL

Manufactured from 1.2mm thick grade 304 stainless steel. Designed with a flat pressed rectangular top. Junior height version also available.

ANMX301 213.0000.025 Bubbler only **ANMX307** 213.0000.003 Bubbler & bottle filler



STAINLESS STEEL WALL MOUNTED DRINKING **FOUNTAIN**

Manufactured from 1.2mm thick grade 304 stainless steel. Designed with a flat pressed rectangular top with rounded edges.

ANMX300 213.0000.024 Bubbler only ANMX306 213.0000.002 Bubbler & bottle filler



FLOOR STANDING CHILLED DRINKING **FOUNTAIN WITH WATER FILTER**

The fountain is for connection direct to the water mains to supply an unlimited amount of fresh chilled water.

ANMX308 213.0000.004 Bubbler only ANMX309 213.0000.005 Bubbler & bottle filler



CLEANING SOLUTIONS

Janitorial, cleaning and general purpose sinks





FLOOR STANDING STAINLESS STEEL JANITORIAL UNIT

Manufactured from grade 1.4301 (304) stainless steel (lower bowl 0.9mm thick) complete with monobloc mixer.

G20050N 207.0000.058



FLOOR STANDING STAINLESS STEEL BUCKET SINK

Manufactured from grade 1.4301 (304) stainless steel, material thickness 1.2mm, with splash back, hinged grating, 38mm BSP waste fitting.

G21663N 207.0000.060



REVERSIBLE SINKS

Manufactured from grade 304 stainless steel these multipurpose sinks are ideal for canteens or staff room sinks.

203.0529.988 Single bowl sink F0309NP 203.0529.985 Bowl 1/2 sink

MAINTENANCE

Franke's cleaning and janitorial range includes general kitchen sinks, bucket and cleaners sinks, janitorial units and a variety of utility sinks. All manufactured from grade 304 stainless steel these products guarantee the best quality. The range of medical and hand washing sinks are ideal for student healthcare facilities.

Franke also have a variety of products for science classrooms including grade 316 stainless steel sinks. Grade 316 stainless steel is highly resistant to corrosion and most acids and therefore is the ideal solution for this environment (view the range online).



sinks









maintenance

Stainless steel sinks

Catering and hand washing

Franke Water Systems has a range of solutions for canteens and catering facilities. The range includes catering sinks, preparation tables and a variety of wall shelves. Manufactured from grade 304 stainless steel, this material is highly durable, resistant to corrosion and long lasting. Stainless steel is the perfect material for any catering environment from university accommodation kitchens to high secondary school canteens. A range of optional supports, stands and shelves (sold separately) and complementary parts including taps and waste kits provide a full solution.









construction





SINGLE BOWL SINGLE DRAINER MINI **CATERING SINK**

Manufactured from 1.2mm thick austenitic grade stainless steel polished to a satin finish. Dimensions: 1000 x 900 x 600mm (W x H x D)*

E20601L 214.0000.000 Left hand drainer **E20601R** 214.0000.000 Right hand drainer



MINI WALL TABLES

Mini wall tables are manufactured from 1.2 thick austenitic grade stainless steel polished to a satin finish.*

F20601Z 208.0606.375 1200 x 900mm **F20600Z** 208.0606.376 900 x 600mm



SINGLE BOWL MIDI CATERING SINK

Manufactured from 1.2mm thick austenitic grade stainless steel polished to a satin finish. Dimensions: 750 x 900 x 650mm (W x H x D)*

E20608N 214.0493.164



WALL SHELVES

Manufactured from 1.2mm thick grade 1.4016 (430) stainless steel polished to a satin finish.

F10512N	214.0000.168	900 x 300mm
F10515N	214.0000.171	1800 x 300mm

Additional variants and sizes are available, please get in touch to request more information.

*Stand pack sold separately.



ACCESSIBLE FOR EVERYBODY

Doc M sanitaryware

Doc M sanitaryware support packs

In order to comply with building regulations, at least one accessible toilet must be available. Franke has designed a number of products with various considerations in mind including aesthetics, durability and the user's specific needs. The range is suitable for many education establishments and includes stainless steel and epoxy coated coloured grab rails to make the washroom experience as easy as possible for whoever the user may be.

The Contina grab rails made of non-slip stainless steel, will allow you to grip the rail even if wet. The Doc M compliant range includes various support rail packs and full Doc M sanitary and support rail packs. A bespoke range of grab rails is available to create a unique washroom style or to suit specific needs, any colour and length is possible.

WC packs include:

- 4 x stainless steel grab rails 600mm
- 1 x Stainless steel drop down rail 760mm (blue), 850mm (stainless)
- Stainless steel back rests and cushion 24mm (blue),150mm (stainless)

Accessories, taps and basins sold separately

Features

- Slip resistant high quality stainless steel
- Accessible tap with ergonomic lever
- Raised height WC
- Comfortable PU foam back rest cushion
- Matching stainless steel accessories available as extras

CNTX106S	202.0574.570	Contina stainless steel WC pack
GRBX206BNP	202.0572.501	Grabex blue coated steel WC pack
ANMX150L	203.0611.023	Hand rinse basin, left hand tap hole
ANMX150R	203.0611.022	Hand rinse basin, right hand tap hole
F5LM1010	208.0511.861	F5 single-lever pillar mixer tap









compliant approved layouts materials





NORTHERN OFFICE

Franke Water Systems
14 Napier Court
Gander Lane
Barlborough
S43 4PZ
Phone +44 (0)1246 458900
ws-info.uk@franke.com
www.franke.co.uk

SOUTHERN OFFICE

Dart Valley Systems
Kemmings Close
Long Road
Paignton, Devon
TQ4 7TW
Phone +44 (0) 1803 529021
sales@dartvalley.co.uk
www.dartvalley.co.uk



