


# MasterTrack FT

The Superior Glass Sliding Door System

Experience a Completely New Running Smoothness



## Bohle MasterTrack FT 60 Set, Wall Mounting, incl. damping mechanism, single door



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · No glass processing required · Minimum door width 600 mm · The running track is pre-drilled.

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5762011
2000 mm	Stainless steel look E4/C31	BO 5762012
2500 mm	Aluminium colour E6/EV1	BO 5762511
2500 mm	Stainless steel look E4/C31	BO 5762512


Max. door weight 60 kg



INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide
2x	Track end caps

## Bohle MasterTrack FT 60 Set, Ceiling Mounting, incl. damping mechanism, single door



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · No glass processing required · Minimum door width 600 mm · The running track is pre-drilled.

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5762021
2000 mm	Stainless steel look E4/C31	BO 5762022
2500 mm	Aluminium colour E6/EV1	BO 5762521
2500 mm	Stainless steel look E4/C31	BO 5762522


Max. door weight 60 kg



INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide

## Bohle MasterTrack FT 60 Set, Ceiling Mounting with Fixed Sidelight, incl. damping mechanism



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · Glass thickness fixed sidelight: tempered glass 8 - 10 mm, laminated safety glass 8.76 - 10.76 mm · No glass processing required · Minimum door width 600 mm · The running track is pre-drilled.

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5762031
2000 mm	Stainless steel look E4/C31	BO 5762032
2500 mm	Aluminium colour E6/EV1	BO 5762531
2500 mm	Stainless steel look E4/C31	BO 5762532


Max. door weight 60 kg



### INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide
1x	Fixed sidelight Cover

## Bohle MasterTrack FT 80 Set, Wall Mounting, incl. damping mechanism, single door



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · No glass processing required · The running track is pre-drilled. · Minimum door width 790 mm

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5782011
2000 mm	Stainless steel look E4/C31	BO 5782012
2500 mm	Aluminium colour E6/EV1	BO 5782511
2500 mm	Stainless steel look E4/C31	BO 5782512
3000 mm	Aluminium colour E6/EV1	BO 5783011
3000 mm	Stainless steel look E4/C31	BO 5783012


Max. door weight 80 kg



### INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide
2x	Track end caps

## Bohle MasterTrack FT 80 Set, Ceiling Mounting, incl. damping mechanism, single door



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · No glass processing required · The running track is pre-drilled. · Minimum door width 790 mm

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5782021
2000 mm	Stainless steel look E4/C31	BO 5782022
2500 mm	Aluminium colour E6/EV1	BO 5782521
2500 mm	Stainless steel look E4/C31	BO 5782522
3000 mm	Aluminium colour E6/EV1	BO 5783021
3000 mm	Stainless steel look E4/C31	BO 5783022


Max. door weight 80 kg



### INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide

## Bohle MasterTrack FT 80 Set, Ceiling Mounting with Fixed Sidelight, incl. damping mechanism



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · Glass thickness fixed sidelight: tempered glass 8 - 10 mm, laminated safety glass 8.76 - 10.76 mm · No glass processing required · The running track is pre-drilled. · Minimum door width 790 mm

LENGTH	FINISH	ART. NO
2000 mm	Aluminium colour E6/EV1	BO 5782031
2000 mm	Stainless steel look E4/C31	BO 5782032
2500 mm	Aluminium colour E6/EV1	BO 5782531
2500 mm	Stainless steel look E4/C31	BO 5782532
3000 mm	Aluminium colour E6/EV1	BO 5783031
3000 mm	Stainless steel look E4/C31	BO 5783032


Max. door weight 80 kg



### INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
2x	Carriages
2x	Damping mechanism
1x	Bottom guide
1x	Fixed sidelight Cover

## Bohle MasterTrack FT Profile Set, Wall Mounting



LENGTH	FINISH	ART. NO
3000 mm	Aluminium colour E6/EV1	BO 5703011
3000 mm	Stainless steel look E4/C31	BO 5703012
4000 mm	Aluminium colour E6/EV1	BO 5704011
4000 mm	Stainless steel look E4/C31	BO 5704012
6000 mm	Aluminium colour E6/EV1	BO 5706011
6000 mm	Stainless steel look E4/C31	BO 5706012




INCLUDED IN DELIVERY:

1x  
1x

Top track  
Cover

**i** The running track is pre-drilled.

## Bohle MasterTrack FT Profile Set, Ceiling Mounting



LENGTH	FINISH	ART. NO
3000 mm	Aluminium colour E6/EV1	BO 5703021
3000 mm	Stainless steel look E4/C31	BO 5703022
4000 mm	Aluminium colour E6/EV1	BO 5704021
4000 mm	Stainless steel look E4/C31	BO 5704022
6000 mm	Aluminium colour E6/EV1	BO 5706021
6000 mm	Stainless steel look E4/C31	BO 5706022




INCLUDED IN DELIVERY:

1x  
1x

Top track  
Cover

**i** The running track is pre-drilled.

## Bohle MasterTrack FT Profile Set, Ceiling Mounting with Fixed Sidelight



LENGTH	FINISH	ART. NO
3000 mm	Aluminium colour E6/EV1	BO 5703031
3000 mm	Stainless steel look E4/C31	BO 5703032
4000 mm	Aluminium colour E6/EV1	BO 5704031
4000 mm	Stainless steel look E4/C31	BO 5704032
6000 mm	Aluminium colour E6/EV1	BO 5706031
6000 mm	Stainless steel look E4/C31	BO 5706032



### INCLUDED IN DELIVERY:

1x	Top track
1x	Cover
1x	Fixed sidelight Cover

**i** The running track is pre-drilled.

## Bohle MasterTrack FT Carriage Set incl. Damping Mechanism

MAX. DOOR WEIGHT	MINIMUM DOOR WIDTH	ART. NO
60 kg	600 mm	BO 5706000
80 kg	790 mm	BO 5708000
120 kg	905 mm	BO 5701200
150 kg	905 mm	BO 5701500



**i** Glass thickness door: tempered glass 8 - 12 mm, laminated safety glass 8.76 - 12.76 mm · Glass thickness fixed sidelight: tempered glass 8 - 10 mm, laminated safety glass 8.76 - 10.76 mm · no glass processing required · Can be used to upgrade complete sets to double door systems (60+80kg).

### INCLUDED IN DELIVERY:

2x	Carriages
2x	Damping mechanism
2x	Trigger for damping mechanism

## Bohle MasterTrack FT Bottom Guide



FINISH	ART. NO
Aluminium colour E6/EV1	BO 5700005
Stainless steel look E4/C31	BO 5700006

**i** The bottom guide consists of two separate pieces.

## Bohle MasterTrack FT Cover Cap Set



FINISH	ART. NO
Aluminium colour E6/EV1	BO 5700011
Stainless steel look E4/C31	BO 5700012


INCLUDED IN DELIVERY:

2x

Track end caps

**i** For wall and ceiling mounting tracks only

## Bohle MasterTrack FT Accessory Set Synchro



DESCRIPTION	ART. NO
Suitable for all Bohle MasterTrack FT systems	BO 5700020



# Bohle Worldwide

## Germany

Bohle AG · Head Office  
42781 Haan  
T +49 2129 5568-100  
info@bohle.de

---

## Austria | Hungary Slovenia

Bohle GmbH  
1230 Wien  
T +43 1 804 4853-0  
info@bohle.at

---

## Benelux

Bohle Benelux B.V.  
3905 LX Veenendaal  
T +31 318 553151  
info@bohle.nl

---

## China

Bohle Trading Co., Ltd  
Tianhe District, Guangzhou  
T +86-20-38105870  
jiang.du@bohle.de

---

## Croatia

Bohle d.o.o.  
51000 Rijeka  
T +385 051-329-566  
mario.perica@bohle.hr

---

## Estonia

Bohle Baltic  
13619 Tallinn  
T +372 6112-826  
info@bohle.ee

---

## France

Bohle AG · Departement Français  
42781 Haan, Germany  
T +49 2129 5568-222  
france@bohle.de

---

## Italy

Bohle Italia s.r.l.  
20080 Vermezzo (MI)  
T +39 02 94967790  
info@bohle.it

---

## Russia

Bohle Москва  
108811 Москва  
T +7 495 230-94-00  
info@bohle.ru

---

## Russia

Bohle Санкт Петербург  
198020 Санкт Петербург  
T +7 812 4452792  
info@bohle.spb.ru

---

## Spain | Portugal

Bohle Complementos del Vidrio S.A.U.  
08907 L'Hospitalet (Barcelona)  
T +34 932 615 361  
info@bohle.es

---

## South Africa

Bohle Glass Equipment (Pty) Ltd.  
2125 Gauteng  
T +27 11 792-6430  
info@bohle.co.za

---

## Sweden

Bohle Scandinavia AB  
14175 Kungens Kurva  
T +46 8 449 57 50  
info@bohle.se

---

## United Kingdom Republic of Ireland

Bohle Ltd.  
Dukinfield, Cheshire, SK16 4PP  
T +44 161 3421100  
info@bohle.ltd.uk

---

## USA

Bohle America  
Charlotte, NC 28273  
T+ (877) 678-2021  
info@bohle-america.com

---