



Industrial Flooring



Food and Drink



Pharmaceutical



Automotive



Aerospace



Electronic



Chemical Processing

Fast Cure Floor Finishes 2-7mm

Ideal for a variety of medium-heavy duty industrial environments in need of a high-strength seamless floor under a quick turnaround.

Flowfast Quartz



Ready to use just two hours after application, Flowfast Quartz is a heavy-duty and fast drying resin floor topping made up of UV-stable coloured quartz granules encapsulated in a clear resin binder.



Yellow 7400



Green 7300



Grey 7100



Grey 7120



Grey 7600



Red 7500



Blue 7750



Grey 7770

Bespoke colour blends can be produced to special order.

Flowfast Terroso



Ready to use just two hours after application Flowfast Terroso is a decorative yet hard wearing resin floor finish incorporating a creative blend of colourful floor flakes sealed within a clear resin binder.



Dali



Van Gogh



Picasso



Klimt



Renoir



Matisse



Monet



Michelangelo



Da Vinci



Rembrandt

Bespoke colour blends can be produced to special order.

Flowfast Rapid Transit SR



Specially designed for use in underground rail networks, Flowfast Rapid Transit SR* is a fire-safe and slip-resistant seamless resin flooring system incorporating natural quartz aggregates.

*Also available Flowfast Rapid Transit Tactiles (400x400mm).



Tomato Red



Sky Blue



Leaf Green



Signal Yellow



Sand Yellow



Pale Green



Blue Grey



Silver Grey



Black

Bespoke colour blends can be produced to special order.

Floor & Wall Finishes 0-2mm

Ideal for kitchens, factories, production lines, garages, warehouses, store rooms and other light-duty industrial environments.

Flowseal EPW



Delivering a hygienic and coloured gloss finish, Flowseal EPW is a vapour permeable and solvent-free seamless floor coating system that can be applied to damp substrates if required.



Goosewing Grey 222



Beige 326



Mid Grey 280



Emerald Green 740



Yellow Grey 217



Yellow 340



Tile Red 637



Sky Blue 452

Flowcoat SF41



Offering an adjustable anti-slip profile to strengthen wear resistance, Flowcoat SF41 is a solvent free, colourful and chemical resistant epoxy resin floor coating that can also be used for demarcation purposes.



Goosewing Grey 222



Beige 326



Mid Grey 280



Emerald Green 740



Yellow Grey 217



Yellow 340



Tile Red 637




Sky Blue 452

Peran WW




Used to create a hygienic seal on walls and ceilings, Peran WW is a solvent-free, low-odour and vapour permeable epoxy resin coating that can be applied to damp substrates if required.




Ice Blue 413




Polar Green 713



Vanilla Yellow 323



Magnolia 302



Silver Grey 204

Floor Finishes 2-5mm

Ideal for a variety of processing areas, manufacturing plants, assembly lines, clean rooms, laboratories and other medium-duty environments.

Flowshield SL



Offering a hygienic, self-smoothing finish best suited to dry process environments, Flowshield SL is a non-tainting, non-dusting epoxy resin floor coating.



Goosewing Grey 222



Beige 326



Mid Grey 280



Emerald Green 740



Yellow Grey 217



Yellow 340



Tile Red 637



Sky Blue 452

ESD grade available on request.

Peran ESD SL



Specially formulated to combat electrostatic activity at ground level, Peran ESD SL delivers a slip-resistant, smooth and anti-static floor finish that complies with BS 2050 requirements.



Goosewing Grey 222



Beige 326



Mid Grey 280



Emerald Green 740



Yellow Grey 217



Yellow 340



Tile Red 637



Sky Blue 452

Peran STB



Containing colourful quartz aggregates, Peran STB creates a high strength finish suited for use in both wet and dry processing environments. For fast track installations use Flowfast Quartz.



Blue 7200



Cream 7700



Yellow 7400



Green 7300



Grey 7100



Grey 7120



Grey 7600



Red 7500



Blue 7750



Grey 7770

Floor Finishes 4-9mm

Ideal for high traffic food process areas, chemical storage and warehouses as well as heavy-duty electronic, aerospace, pharmaceutical, automotive and printing environments.

Mondéco Earth



Containing heavy-duty granite and flint aggregates, Mondéco Earth is a seamless, hygienic and chemical resistant epoxy terrazzo system that achieves impressive levels of durability.



Blueberry



Coconut



Tangerine



Pomegranate



Kiwi



Peach



Almond



Chilli Pepper

Bespoke colour blends can be produced to special order.
Antimicrobial and ESD grade available on request.

Flowfresh HF



Containing the antimicrobial additive Polygiene®, Flowfresh HF is a heavy-duty polyurethane flooring solution that offers excellent chemical, slip and heat resistance properties in food process areas.



Red



Mustard



Dark Green



Ochre



Cream



Mid Grey



Dark Grey



Gentian Blue

ESD grade available on request.

Flowfresh MF



Containing the antimicrobial additive, Polygiene®, Flowfresh MF is a medium-duty, self-smoothing polyurethane resin floor finish best suited to storage areas and dry processing zones.



Red



Mustard



Dark Green



Ochre



Cream



Mid Grey



Dark Grey



Gentian Blue

ESD grade available on request.



Flowcrete around the world

Manufacturing Centres of Excellence

UK	Flowcrete UK Ltd	Tel: +44 (0)1270 753 000	Fax: +44 (0)1270 753 333	Email: uk@flowcrete.com
Sweden	Flowcrete Sweden AB	Tel: +46 (0)435 400 110	Fax: +46 42 15 50 90	Email: sweden@flowcrete.com
South Africa	Flowcrete SA (Pty) Ltd	Tel: +27 31 461 3411	Fax: +27 31 461 3475	Email: southafrica@flowcrete.com
Malaysia	Flowcrete Asia Sdn Bhd	Tel: +603 6277 9575	Fax: +603 6277 4645	Email: malaysia@flowcrete.com
USA	Flowcrete North America Inc.	Tel: +1 936 539 6700	Fax: +1 936 539 6701	Email: usa@flowcrete.com
Belgium	Flowcrete Belgium	Tel: +32 1575 6927	Fax: +32 1575 2895	Email: belgium@flowcrete.com

Sales Centres of Excellence

France	Flowcrete France	Tel: +33 344 58 89 76	Fax: +33 344 58 73 86	Email: france@flowcrete.com
Germany	Flowcrete Germany	Tel: +49 (0)3466 36 43 70	Fax: +49 (0)3466 36 43 71	Email: germany@flowcrete.com
Denmark	Flowcrete Sweden AB	Tel: +46 (0)435 400 110	Fax: +46 (0)435 314 98	Email: denmark@flowcrete.com
Norway	Flowcrete Norway AS	Tel: +47 6486 0830	Fax: +47 6486 0831	Email: norway@flowcrete.com
Poland	Flowcrete Polska Sp. z o.o.	Tel: +48 22 879 8907	Fax: +48 22 879 8918	Email: poland@flowcrete.com
Latvia	Flowcrete Baltics	Tel: +371 286 44 666	Fax: +371 675 55 353	Email: latvia@flowcrete.com
Estonia	Flowcrete Estonia	Tel: +372 659 9766	Fax: +372 656 7491	Email: estonia@flowcrete.com
Romania*	Flowcrete Romania	Tel: +40 374 008 078	Fax: +40 212 550 315	Email: romania@flowcrete.com
Russia*	Flowcrete Rus	Tel: +7 (495) 661 62 68	Fax: +7 (495) 661 62 68	Email: rus@flowcrete.com
UAE	Flowcrete Middle East FZCO	Tel: +971 4 886 4728	Fax: +971 4 886 4582	Email: uae@flowcrete.com
India	Flowcrete India	Tel: +91 44 4202 9831	Fax: +91 44 4202 9832	Email: india@flowcrete.com
Thailand	Flowcrete Thailand	Tel: +66 2 693 0775	Fax: +66 2 694 3295	Email: thailand@flowcrete.com
Vietnam	Flowcrete Vietnam	Tel: +84 8 3823 4602	Fax: +84 8 3827 4842	Email: vietnam@flowcrete.com
Hong Kong	Flowcrete (Hong Kong) Ltd	Tel: +852 2795 0478	Fax: +852 2795 4842	Email: hongkong@flowcrete.com
China	Flowcrete China	Tel: +86 10 8472 0488	Fax: +86 10 8472 1872	Email: china@flowcrete.com
South Korea*	Flowcrete South Korea	Tel: +822 649 3874	Fax: +822 649 3878	Email: southkorea@flowcrete.com
Australasia	Flowcrete Australia	Tel: +61 73357 5125	Fax: +61 73357 5171	Email: australia@flowcrete.com
Brazil*	Flowcrete South America Ltda	Tel: +55 11 4156 6166	Fax: +55 11 4156 6166	Email: brazil@flowcrete.com

*Partner